OHIO TURNPIKE AND INFRASTRUCTURE COMMISSION

THE JAMES W. SHOCKNESSY OHIO TURNPIKE

OHIO TURNPIKE

PROJECT NO. 58-20-01 (REBID)
NEW MAINLINE TOLL PLAZA FACILITY
UTILITY BUILDINGS, TOLL BOOTHS & CANOPIES

MILEPOST 49

LUCAS COUNTY, OHIO

OHIO TURNPIKE AND INFRASTRUCTURE STANDARD DRAWINGS

DR-1	10-20-2017		TCR-15	10-20-2017	
TCB-1	10-20-2017				
TCR-1	10-20-2017				
TCR-2	10-20-2017				
TCR-9	10-20-2017				
TCR-14	12-31-2019				

OHIO DEPARTMENT OF TRANSPORTATION STANDARD DRAWINGS

BP-1.1	7-28-2000	TC-22.10	10-18-2013		
BP-2.1	7-17-2015	TC-22.20	1-17-2014		
BP-2.2	7-18-2008	TC-81.10	7-15-2016		
BP-5.1	1-18-2019				
BP 7-1	7-20-2018				
CB-2.3	1-15-2016				
DM-1.1	7-21-2017			SUPPLEMENTAL SPECIFICATIONS	
HL-10.13	4-17-2020				
HL-30.11	7-17-2020				
TC-7.65	7-20-2018			S 1002	
TC-16.21	7-20-2018			S 1078	
TC-21.10	7-19-2019				
TC-21.20	7-20-2018				

N

APPROVED FOR
THE OHIO TURNPIKE AND INFRASTRUCTURE COMMISSION
BY
Anthony D. Yarosh
CHIEF ENGINEER
6-16-20
DATE

UNDERGROUND UTILITIES

CONTACT BOTH SERVICES
CALL TWO WORKING DAYS
BEFORE YOU DIG

CALL
1-800-362-2764
OR 811 (TOLL FREE)

OHIO UTILITIES PROTECTION
SERVICE NON-MEMBERS
MUST BE CALLED DIRECTLY

OHIO OIL & GAS PRODUCERS UNDERGROUND
PROTECTIVE SERVICE CALL: 614-715-2984 OR 811

OTIC DIVISION TRADES SUPERVISOR:
440-971-2731 - WEST (M.P. 0.0 - M.P. 126.4)
440-971-2781 - EAST (M.P. 126.4 - M.P. 241.26)

ENGINEERS SEAL:
STATE OF OHIO
SHANE M. MORRIS
PE-73638
REGISTERED
PROFESSIONAL ENGINEER
SIGNED:
DATE: 06/15/2020

ARCHITECTS SEAL:
STATE OF OHIO
MICHAEL W. MURPHY
ARC9210118
REGISTERED ARCHITECT
SIGNED:
DATE: 06/15/2020

ENGINEERS SEAL:
STATE OF OHIO
CHRISTOPHER C. JACKMAN
E-72656
REGISTERED
PROFESSIONAL ENGINEER
SIGNED:
DATE: 06/15/2020

ENGINEERS SEAL:
STATE OF OHIO
CHAD EDWARD KULAWIAK
E-76087
REGISTERED
PROFESSIONAL ENGINEER
SIGNED:
DATE: 06/15/2020

ENGINEERS SEAL:
STATE OF OHIO
CAMILLE A. MALEH
E-83004
REGISTERED
PROFESSIONAL ENGINEER
SIGNED:
DATE: 06/15/2020

ENGINEERS SEAL:
STATE OF OHIO
MELCHIZEDEK VILLARBA
E-85271
REGISTERED
PROFESSIONAL ENGINEER
SIGNED:
DATE: 06/15/2020

DESIGN CONTRACT: 71-19-09B

PLAN PREPARED BY:

PRIME AE
540 White Pond Drive, Ste. E
Akron, Ohio 44320
(330)-864-7755

NO.	REVISIONS	BY	DATE
1	ADDENDUM NO. 2	XX	7-20-2020

DESIGN AGENCY
PRIME AE
540 White Pond Drive, Ste E
Akron, Ohio 44320
(330)-864-7755

NO.	REVISIONS	BY	DATE
1	ADDENDUM NO.2	LHBJ	20JUL20

DESIGNED	CHECKED	IN CHARGE
LHBJ	SMM	SMM
DRAWN		
LHBJ		

SITE PLAN – EXISTING CONDITIONS
TOLL PLAZA 49
LUCAS COUNTY

PROJECT 58-20-01
DATE: 4/17/2020

C103

15 / 221

OHIO TURNPIKE AND INFRASTRUCTURE COMMISSION

C:\Users\lbowes\Documents\My Documents\Prime Projects\19418_TP4_TP49 TP211_18458\TP-49\Design\Sheets\3-9_11-12_20-21_TP49_XG001.dwg; 7/20/2020 7:27 AM; lew bowes

C:\Users\lbowes\Documents\My Documents\Prime Projects\19418_TP4 TP49 TP211_18458\TP49\Design\Sheets\3-9_11-12_20-21_TP49_XG001.dwg; 7/20/2020 7:29 AM; lew bowes

221 / 16	C104	PROJECT 58-20-01	SITE DIMENSION PLAN – NORTH SITE	DESIGNED LHBJ	CHECKED SMM	NO.	REVISIONS	BY	DATE
		DATE: 4/17/2020	TOLL PLAZA 49 LUCAS COUNTY	DRAWN LHBJ	IN CHARGE SMM	1	ADDENDUM NO.2	LHBJ	20JUL20

DESIGN AGENCY
PRIME AE
540 White Pond Drive, Ste. E
Akron, Ohio 44320
(330)-864-7755

OHIO TURNPIKE

OHIO TURNPIKE AND INFRASTRUCTURE COMMISSION

OHIO TURNPIKE

DESIGN AGENCY
PRIME AE
540 White Pond Drive, Ste E
Akron, Ohio 44320
(330)-864-7755

NO.	REVISIONS	BY	DATE
1	ADDENDUM NO.2	LHBJ	20JUL20

DESIGNED	CHECKED	DRAWN	IN CHARGE
LHBJ	SMM	LHBJ	SMM

SITE DIMENSION PLAN – SOUTH SITE

LUCAS COUNTY

TOLL PLAZA 49

PROJECT 58-20-01

DATE: 4/17/2020

C105

17 / 221

OHIO TURNPIKE AND INFRASTRUCTURE COMMISSION

C:\Users\lbowes\Documents\My Documents\Prime Projects\19418_TP4 TP211_18458\TP49\Design\Sheets\3-9_11-12_20-21_TP49_XG001.dwg; 7/20/2020 7:28 AM; lee bowes

NOTES:

1. THE BORING PIT SHALL BE COORDINATED WITH THE MOT PORTABLE CONCRETE BARRIER WALL AND LIVE TRAFFIC.
2. SHEETING IS REQUIRED BEHIND PORTABLE CONCRETE BARRIER THAT IS IN PLACE BY PROJECT 39-20-02A ON THE EXISTING SHOULDER DURING THE 2020 CONSTRUCTION SEASON.

STATE OF OHIO
SHANE M. MORRIS
PE-73835
REGISTERED PROFESSIONAL ENGINEER
6/01/2020

DESIGN AGENCY
PRIME AE
540 White Pond Drive, Ste. E
Akron, Ohio 44320
(330)-864-7755

NO.	REVISIONS	BY	DATE
1	ADDENDUM NO.2	LHBJ	20JUL20

DESIGNED	CHECKED
LHBJ	SMM
DRAWN	IN CHARGE
LHBJ	SMM

SITE
LUCAS COUNTY
SITE UTILITY PLAN – NORTH SITE
TOLL PLAZA 49

PROJECT 58-20-01
DATE: 4/17/2020

C106

18
221

OHIO TURNPIKE AND INFRASTRUCTURE COMMISSION

C:\Users\lbowen\Documents\My Documents\Prime Projects\19418_TP4 TP49 TP211_18458\TP49\Design\Sheets\3-9_11-12_20-21_TP49_XG001.dwg; 7/20/2020 10:39 AM; lew.bowen

NOTES:

1. THE BORING PIT SHALL BE COORDINATED WITH THE MOT PORTABLE CONCRETE BARRIER WALL AND LIVE TRAFFIC.
2. SHEETING IS REQUIRED BEHIND PORTABLE CONCRETE BARRIER THAT IS IN PLACE BY PROJECT 39-20-02A ON THE EXISTING SHOULDER DURING THE 2020 CONSTRUCTION SEASON.
3. TIE THE 2" ELEVATOR SUMP OUTLET (P201 & P402) INTO THE 6"ROOF DRAIN.

STATE OF OHIO
SHANE M. MORRIS
PE-73858
REGISTERED
PROFESSIONAL ENGINEER
6/01/2020

DESIGN AGENCY
PRIME AE
540 White Pond Drive, Ste. E
Akron, Ohio 44320
(330)-864-7755

NO.	REVISIONS	BY	DATE
1	ADDENDUM NO.2	LHBJ	20JUL20

CHECKED	DESIGNED
SMM	LHBJ
IN CHARGE	DRAWN
SMM	LHBJ

SITE UTILITY PLAN – SOUTH SITE

TOLL PLAZA 49

LUCAS COUNTY

PROJECT 58-20-01

DATE: 4/17/2020

C107

19 / 221

OHIO TURNPIKE AND INFRASTRUCTURE COMMISSION

C:\Users\lbowes\Documents\My Documents\Prime Projects\19418_TP4 TP49 TP211_18458\TP49\Design\Sheets\3-9_11-12_20-21_TP49_XG001.dwg, 7/20/2020 8:54 AM, lew bowes

C:\Users\lbowes\Documents\My Documents\Prime Projects\19418_TP4 TP49 TP211_18458\TP49\Design\Sheets\3-9_11-12_20-21_TP49_XG001.dwg; 7/20/2020 10:38 AM; lew bowes

20 / 221	C108	PROJECT 58-20-01	SITE GRADING PLAN – NORTH SITE	DESIGNED LHBJ	CHECKED SMM	NO.	REVISIONS	BY	DATE	DESIGN AGENCY
		DATE: 4/17/2020	TOLL PLAZA 49 LUCAS COUNTY	DRAWN LHBJ	IN CHARGE SMM	1	ADDENDUM NO.2	LHBJ	20JUL20	PRIME AE 540 White Pond Drive, Ste. E Akron, Ohio 44320 (330)-864-7755

OHIO TURNPIKE

OHIO TURNPIKE AND INFRASTRUCTURE COMMISSION

OHIO TURNPIKE

21 / 221	C109	PROJECT 58-20-01	SITE GRADING PLAN – SOUTH SITE	DESIGNED LHBJ	CHECKED SMM	NO.	REVISIONS	BY	DATE	DESIGN AGENCY	
		DATE: 4/17/2020	TOLL PLAZA 49 LUCAS COUNTY	DRAWN LHBJ	IN CHARGE SMM	1	ADDENDUM NO.2	LHBJ	20JUL20	PRIME AE	540 White Pond Drive, Ste. E Akron, Ohio 44320 (330)-864-7755

OHIO TURNPIKE

OHIO TURNPIKE AND INFRASTRUCTURE COMMISSION

OHIO TURNPIKE

NORTH SITE

SOUTH SITE

VERTICAL SCALE IN FEET 0 5 10

HORIZONTAL SCALE IN FEET 0 30 60

STATE OF OHIO
TSHAME M. MORRIS
E-73858
REGISTERED PROFESSIONAL ENGINEER
6/01/2020

DESIGN AGENCY
PRIME AE
540 White Pond Drive, Ste. E
Akron, Ohio 44320
(330)-864-7755

NO.	REVISIONS	BY	DATE
1	ADDENDUM NO.2	LHBJ	20JUL20

DESIGNED LHBJ | CHECKED SMM | DRAWN LHBJ | IN CHARGE SMM

STORM SEWER PROFILES

LUCAS COUNTY

TOLL PLAZA 49

PROJECT 58-20-01

DATE: 4/17/2020

C110

22 / 221

OHIO TURNPIKE AND INFRASTRUCTURE COMMISSION

C:\Users\lbowes\Documents\My Documents\Prime Projects\19418_TP4 TP49 TP211_19458\TP49\Design\Sheets\1-2_10_TP49_BF01.dwg, 7/20/2020 7:34 AM, lew bowers

PRE-CLASSIFICATION TRUSS DETAIL

TC-7.65, DESIGN 8, 63'8" SPAN

VIEWED ENTERING TURNPIKE

NOTES:

1. *SEE SHEET 1121 FOR PLAN EQUIPMENT NOTES.*
2. *SEE SHEET 1114 FOR ELEVATION EQUIPMENT DETAILS.*

STATE OF OHIO
SHANE M. MORRIS
PE-73858
REGISTERED PROFESSIONAL ENGINEER
6/01/2020

DESIGN AGENCY
PRIME AE
540 White Pond Drive, Ste. E
Akron, Ohio 44320
(330)-864-7755

NO.	REVISIONS	BY	DATE
1	ADDENDUM NO.2	LHBJ	20JUL20

DESIGNED	CHECKED
LHBJ	SMM
DRAWN	IN CHARGE
LHBJ	SMM

LUCAS COUNTY

LED TRUSS ELEVATION DETAIL

TOLL PLAZA 49

PROJECT 58-20-01

DATE: 4/17/2020

C118

30 / 221

OHIO TURNPIKE AND INFRASTRUCTURE COMMISSION

OHIO TURNPIKE

C:\Users\bowes\Documents\My Documents\Prime Projects\19418_TP4 TP49 TP211_18458\TP49\Design\Sheets\13-19_TP49_GY001.dwg; 7/20/2020 7:34 AM; lew bowes

TEMPORARY STABILIZATION

AREAS REQUIRING TEMPORARY STABILIZATION	*TIME FRAME TO APPLY EROSION CONTROLS*
ANY AREAS WITHIN 50 FEET OF A STREAM AND NOT AT FINAL GRADE	WITHIN TWO DAYS OF THE MOST RECENT DISTURBANCE IF THE AREA WILL REMAIN IDLE FOR MORE THAN 14 DAYS
FOR ALL CONSTRUCTION ACTIVITIES, ANY DISTURBED AREAS THAT WILL BE DORMANT FOR MORE THAN 14 DAYS BUT LESS THAN ONE YEAR, AND NOT WITHIN 50 FEET OF A STREAM	WITHIN SEVEN DAYS OF THE MOST RECENT DISTURBANCE WITHIN THE AREA FOR RESIDENTIAL SUBDIVISIONS, DISTURBED AREAS MUST BE STABILIZED AT LEAST SEVEN DAYS PRIOR TO TRANSFER OF PERMIT COVERAGE FOR THE INDIVIDUAL LOT(S).
DISTURBED AREAS THAT WILL BE IDLE OVER WINTER	PRIOR TO THE ONSET OF WINTER WEATHER

PERMANENT STABILIZATION

AREAS REQUIRING PERMANENT STABILIZATION	*TIME FRAME TO APPLY EROSION CONTROLS*
ANY AREAS THAT WILL LIE DORMANT OF ONE YEAR OR MORE	WITHIN SEVEN DAYS OF THE MOST RECENT DISTURBANCE
ANY AREAS WITHIN 50 FEET OF A STREAM AND AT FINAL GRADE	WITHIN TWO DAYS OF REACHING FINAL GRADE
ANY OTHER AREAS AT FINAL GRADE	WITHIN SEVEN DAYS OF REACHING FINAL GRADE WITHIN THAT AREA

OHIO UTILITIES PROTECTION SERVICE
CALL BEFORE YOU DIG
800-362-2764 OR 8-1-1
WWW.OUPS.ORG

CONSTRUCTION ENTRANCE DETAIL (D)

NO SCALE

CONSTRUCTION SPECIFICATIONS

STONE SIZE– NO. 2 (2-1/2" TO 1-1/2") OR ITS EQUIVALENT.

LENGTH – AS EFFECTIVE, BUT NOT LESS THAN 50 FEET.

THICKNESS – NOT LESS THAN SIX (6) INCHES

WIDTH – TWENTY (20) FOOT MINIMUM, BUT NOT LESS THAN FULL WIDTH OF ALL POINTS OF INGRESS OR EGRESS.

FILTER CLOTH – WILL BE PLACED OVER THE ENTIRE AREA PRIOR TO PLACING THE STONE.

SURFACE WATER – ALL SURFACE WATER FLOWING OR DIVERTED TOWARD CONSTRUCTION ENTRANCES SHALL BE PIPED ACROSS THE ENTRANCE. IF PIPING IS IMPRACTICAL, A MOUNTABLE BERM WITH 5:1 SLOPES WILL BE PERMITTED.

MAINTENANCE – THE ENTRANCE SHALL BE MAINTAINED IN A CONDITION WHICH WILL PREVENT TRACKING OR FLOWING OF SEDIMENT ONTO PUBLIC RIGHT–OF–WAY. THIS MAY REQUIRE PERIODIC TOP DRESSING WITH ADDITIONAL STONE AS CONDITIONS DEMAND AND REPAIR AND/OR CLEAN–OUT OF ANY MEASURES USED TO TRAP SEDIMENT. ALL SEDIMENT SPILLED, DROPPED, WASHED OR TRACKED ONTO PUBLIC RIGHT–OF–WAY MUST BE REMOVED IMMEDIATELY.

WASHING – WHEN NECESSARY, WHEELS SHALL BE CLEANED TO REMOVE SEDIMENT PRIOR TO ENTRANCE ONTO PUBLIC RIGHT–OF–WAY. WHEN WASHING IS REQUIRED, IT SHALL BE DONE ON AN AREA STABILIZED WITH CRUSHED STONE WHICH DRAINS INTO AN APPROVED SEDIMENT TRAP. ALL SEDIMENT SHALL BE PREVENTED FROM ENTERING ANY STORM DRAIN, DITCH, OR WATERCOURSE THROUGH USE OF SAND BAGS, GRAVEL, BOARDS OR OTHER APPROVED METHODS.

PERIODIC INSPECTION AND NEEDED MAINTENANCE SHALL BE PROVIDED AFTER EACH RAIN EVENT.

SEDIMENT & SOIL EROSION LEGEND

- (A) : CATCH BASIN PROTECTION
- (B) : CONCRETE WASHOUT AREA
- (C) : FUEL STORAGE AND DUMPSTER
- (D) : CONSTRUCTION ENTRANCE DRIVE

STATE OF OHIO
I SHANE M. MORRIS
PE.73838
REGISTERED PROFESSIONAL ENGINEER
6/01/2020

MAINTENANCE:
WITH A STIFF BRISTLE BROOM, SWEEP SILT AND OTHER DEBRIS OFF SURFACE AFTER EACH EVENT.

CURB INLET PROTECTION WITH GRATE (A)

NO SCALE

NOTE:
PER OEPA, THE CONTRACTOR MUST UTILIZE A LINER FOR THE CONCRETE WASHOUT AREA.

CONCRETE TRUCKS SHALL USE THESE AREAS TO WASHOUT TRUCKS. THE ACCUMULATED CONCRETE SHALL BE REMOVED FROM THE SITE AND DISPOSED OF PROPERLY.

PLASTIC LINE DEPRESSION FOR REMOVAL OR USE AN ABOVE GROUND ROLL OFF BOX WITH LINER AS AN ALTERNATE.

CONCRETE WASHOUT AREA (B)

NO SCALE

SWPP GENERAL NOTES

CONTRACTOR RESPONSIBILITY: DETAILS HAVE BEEN PROVIDED ON THE PLANS IN AN EFFORT TO HELP THE CONTRACTOR PROVIDE EROSION AND SEDIMENTATION CONTROL. THE DETAILS SHOWN ON THE PLAN SHALL BE CONSIDERED A MINIMUM. ADDITIONAL OR ALTERNATE DETAILS MAY BE FOUND IN THE O.D.N.R. MANUAL 'RAINWATER AND LAND DEVELOPMENT.' THE CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR PROVIDING NECESSARY AND ADEQUATE MEASURES FOR PROPER CONTROL OF EROSION AND SEDIMENT RUNOFF FROM THE SITE ALONG WITH PROPERTY MAINTENANCE AND INSPECTION IN COMPLIANCE WITH NPDES GENERAL PERMIT FOR STORM WATER DISCHARGES ASSOCIATED WITH CONSTRUCTION ACTIVITY.

PRIOR TO CONSTRUCTION OPERATIONS IN A PARTICULAR AREA, ALL SEDIMENTATION AND EROSION CONTROL FEATURES SHALL BE IN PLACE. FIELD ADJUSTMENTS WITH RESPECT TO LOCATION AND DIMENSIONS MAY BE MADE BY THE ENGINEER.

THE CONTRACTOR SHALL PLACE INLET AND CHANNEL PROTECTION FOR EROSION CONTROL IMMEDIATELY AFTER CONSTRUCTION OF THE INLETS OR CHANNELS WHICH ARE NOT TRIBUTARY TO A SEDIMENT BASIN OR DAM.

IT MAY BECOME NECESSARY TO REMOVE PORTIONS OF THE BARRIER DURING CONSTRUCTION TO FACILITATE THE GRADING OPERATIONS IN CERTAIN AREAS. HOWEVER, THE BARRIER SHALL BE IN PLACE IN THE EVENING OR DURING ANY INCLEMENT WEATHER.

THE LIMITS OF SEEDING AND MULCHING ARE AS SHOWN WITHIN THE PLANS. THOSE AREAS DISTURBED OUTSIDE THE SEEDING LIMITS SHALL BE SEEDED AND MULCHED AT THE CONTRACTOR'S EXPENSE.

'TEMPORARY SEEDING' NO AREA FOR WHICH GRADING HAS BEEN COMPLETED OR WHERE A DENUDED AREA WILL REMAIN IDLE FOR MORE THAN 21 DAYS SHALL BE LEFT UNSEEDED FOR LONGER THAN 7 DAYS. IF PERMANENT SEED IS NOT APPLIED AT THIS TIME, TEMPORARY SEEDING SHALL BE DONE AT THE FOLLOWING RATES:

MARCH 1 TO NOVEMBER 15

SEED: OATS	2 LBS./1,000 S.F.
FERTILIZER: (12: 12:12)	25 LBS./1,000 S.F.
MULCH: (STRAW OR HAY)	2 TONS/ACRE

NOVEMBER 15 TO NOVEMBER 1:

SEED: ANNUAL RYE	2 LBS./1,000 S.F.
FERTILIZER: (12: 12:12)	25 LBS./1,000 S.F.
MULCH: (STRAW OR HAY)	2 TONS/ACRE

NOVEMBER 1 TO MARCH 1:

MULCH (ONLY): STRAW OR HAY	2 TONS/ACRE

"PERMANENT SEEDING" SHALL BE DONE BETWEEN MARCH 15 AND NOVEMBER 15. IF SEEDING IS DONE BETWEEN NOVEMBER 15 AND MARCH 15, IT SHALL BE CLASSIFIED AS 'TEMPORARY SEEDING.' PERMANENT SEED SHALL BE 40% KENTUCKY BLUEGRASS, 40% CREEPING RED FESCUE, 20% ANNUAL RYEGRASS. PERMANENT SEEDING SHALL CONSIST OF FERTILIZING, WATER AND SEEDING RATES INDICATED UNDER ITEM 659. SEEDING SHALL BE APPLIED WITHIN TWO (2) DAYS AFTER FINAL GRADING OR FOLLOWING SEED BED PREPARATION.

RATES OF APPLICATION OF ITEM 659:

SEED	4 LBS./1,000 S.F.
FERTILIZER: (12: 12: 12)	20 LBS./1,000 S.F.
MULCH: STRAW (HAY)	2 TONS/ACRE (3 TONS/ACRE)

MAINTENANCE: IT IS THE CONTRACTOR'S RESPONSIBILITY TO MAINTAIN THE SEDIMENT CONTROL FEATURES USED ON THIS PROJECT. THE SITE SHALL BE INSPECTED PERIODICALLY AND WITHIN 24 HOURS OF A SIGNIFICANT RAINFALL. RECORDS OF THESE INSPECTIONS SHALL BE KEPT AND MADE AVAILABLE TO JURISDICTIONAL AGENCIES IF REQUESTED. ANY SEDIMENT OR DEBRIS WHICH HAS REDUCED THE EFFICIENCY OF A STRUCTURE SHALL BE REMOVED IMMEDIATELY. SHOULD A STRUCTURE OR FEATURE BECOME DAMAGED, THE CONTRACTOR SHALL REPAIR OR REPLACE AT NO ADDITIONAL COST TO THE OWNER. NOT ALL DETAILS SHOWN ON THIS SHEET MAY BE REQUIRED FOR THIS PROJECT. REFERENCE SEDIMENT CONTROL PLAN.

THE COST FOR TEMPORARY CHANNELS, SEDIMENT DAMS, SEDIMENT BASINS, AND OTHER APPURTENANT EARTHMOVING OPERATIONS SHALL BE INCLUDED IN THE PRICE BID FOR EROSION AND SEDIMENTATION CONTROL QUANTITIES.

THE CONTRACTOR SHALL BE RESPONSIBLE TO ENSURE THAT OFF–SITE TRACKING OF SEDIMENTS BY VEHICLES AND EQUIPMENT IS MINIMIZED. ALL SUCH OFF–SITE SEDIMENT SHALL BE CLEANED UP DAILY. CONSTRUCTION OF STABILIZED CONSTRUCTION ENTRANCES ARE A PART OF THAT RESPONSIBILITY.

STREET CLEANING (ON AN AS–NEEDED BASIS) IS REQUIRED THROUGH THE DURATION OF THIS CONSTRUCTION PROJECT. THIS INCLUDES SWEEPING, POWER CLEANING AND (IF NECESSARY) MANUAL REMOVAL OF DIRT OR MUD IN THE STREET GUTTERS.

THE CONTRACTOR SHALL BE RESPONSIBLE TO ENSURE THAT NO SOLID OR LIQUID WASTE IS DISCHARGED INTO STORM WATER RUNOFF. SEDIMENT–LADEN WATER SHALL BE FILTERED THROUGH THE USE OF SEDIMENT FILTERING FENCES OR SEDIMENTATION BASINS PRIOR TO DISCHARGE TO SURFACE WATERS. CONCRETE TRUCKS WILL NOT BE ALLOWED TO WASH OUT OR DISCHARGE SURPLUS CONCRETE INTO OR ALONGSIDE RIVERS, STREAMS, AND CREEKS OR INTO NATURAL OR MAN–MADE CHANNELS OR SWALES LEADING THERETO. CONCRETE TRUCK WASH WATER AND SURPLUS CONCRETE SHALL BE CONFINED TO AREAS APPROVED BY THE ENGINEER; AFTER SOLIDIFYING, THESE WASTE MATERIALS SHALL BE REMOVED FROM THE SITE.

ALL EROSION AND SEDIMENT CONTROL PRACTICES ARE SUBJECT TO FIELD INSPECTIONS.

NOTE:

A COPY OF THE APPROVED EPA STORM WATER PERMIT WILL BE PROVIDED BY THE 39–20–02 CONTRACTOR. THIS WORK WILL BE INCLUDED WITHIN THAT EPA PERMIT.

THIS PLAN MUST BE POSTED ON–SITE. A COPY OF THE SWPP PLAN AND THE APPROVED EPA STORM WATER PERMIT (WITH THE SITE SPECIFIC NOI NUMBER, IF REQUIRED) SHALL BE KEPT ON–SITE AT ALL TIMES.

THE CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTAINING ON–SITE DRAINAGE AT ALL TIMES DURING CONSTRUCTION. NO SEPARATE PAYMENT SHALL BE MADE FOR MAINTAINING DRAINAGE.

DESIGN AGENCY
PRIME AE
540 White Pond Drive, Ste E
Akron, Ohio 44320
(330)-864-7755

NO.	REVISIONS	BY	DATE
1	ADDENDUM NO.2	LHBJ	20JUL20

DESIGNED	CHECKED	NO.
LHBJ	SMM	1
DRAWN	IN CHARGE	
LHBJ	SMM	

LUCAS COUNTY

SWPPP – NORTH SITE

TOLL PLAZA 49

PROJECT 58-20-01
DATE: 4/17/2020

C120

32
221

OHIO TURNPIKE AND INFRASTRUCTURE COMMISSION

C:\Users\lbowen\Documents\My Documents\Prime Projects\19418_TP4 TP49 TP211_18458\TP49\Design\Sheets\3-9_11-12_20-21_TP49_XG001.dwg; 7/20/2020 7:33 AM; lew bowen

5 ACCESS PANEL DETAIL

A109 SCALE: 3/8" = 1'-0"

4 CANOPY 3 LANE REFLECTED CEILING PLAN

A109 SCALE: 1/16" = 1'-0"

2 REFLECTED CEILING PLAN SECONDARY BUILDING SECOND FLOOR PLAN

A109 SCALE: 1/16" = 1'-0"

1 REFLECTED CEILING PLAN MAIN BUILDING SECOND FLOOR PLAN

A109 SCALE: 1/16" = 1'-0"

3 CANOPY 5 LANE REFLECTED CEILING PLAN

A109 SCALE: 1/16" = 1'-0"

CEILING PLAN LEGEND

- 5/8" GYPSUM o/ SUSPENDED SYSTEM - PAINT
- METAL SOFFIT
- METAL SOFFIT WITH VENTING
- EXPOSED
- SUSPENDED CEILING GRID
- 2X2 LIGHT FIXTURE
- EXIT LIGHT
- LED LANE CONTROL SIGNAL
- WALL PACK
- 2X4 PENDANT LIGHT FIXTURE
- RECESSED CAN FIXTURE
- EXHAUST FAN - REFER TO MECH FOR SIZES
- SUPPLY AIR DIFFUSER - REFER TO MECH FOR SIZES
- RETURN AIR GRILLE - REFER TO MECH FOR SIZES
- (X' - XX") CEILING HEIGHT INDICATOR
- 36" x 48" EXTERIOR HINGED ACCESS PANEL w/ LOCKABLE KEY ACCESS

GRAPHIC SCALE 0 8' 16' 32'

GENERAL NOTES

1. DIMENSIONS SHOWN ARE TO FACE OF STUD / FURRING OR FACE OF C.M.U. UNLESS NOTED OTHERWISE
2. REFER TO DRAWING A801 AND A802 FOR WALL TYPE DESCRIPTIONS AND DETAILS
3. REFER TO SHEET G004 AND G005 FOR LOCATION OF FIRE RATED WALLS.

DESIGN AGENCY
PRIME AE
540 White Pond Drive, Ste. E
Akron, Ohio 44320
(330) 864-7755

NO.	REVISIONS	BY	DATE
1	ADDENDUM 2		7/15/2020

DESIGNED MWM | CHECKED MWM | DRAWN MAK | IN CHARGE CAR

REFLECTED CEILING PLANS
SECOND FLOOR PLANS

TOLL PLAZA 49 LUCAS COUNTY

PROJECT 58-20-01
DATE: 6/15/2020

A109

71 / 221

OHIO TURNPIKE AND INFRASTRUCTURE COMMISSION

7/17/2020 1:29:31 PM

TOLL PLAZA 49

EXTERIOR MATERIAL LEGEND

- MP-1 CLEAR ANODIZED METAL PANEL
- MP-2 BRONZE ANODIZED METAL PANEL
- MP-3 CUSTOM GREEN METAL PANEL
- GL-1 ALUMINUM WINDOW W/ LOW E , TINTED INSULATED GLASS
- CMU-1 BURNISHED CMU VENEER - COLOR: RENALDO by GRAND BLANC CEMENT PRODUCTS, INC. (1)
- CONC CAST CONCRETE
- X DENOTES WINDOW TYPE - SEE A604
- CJ DENOTES MASONRY CONTROL JOINT

1 OVERALL EAST ELEVATION

A201

SCALE: 1/32" = 1'-0"

2 OVERALL WEST ELEVATION

A201

SCALE: 1/32" = 1'-0"

COORDINATE ALL FINISH FLOOR ELEVATIONS WITH CIVIL DRAWINGS
ELEVATIONS NOTED ON THIS SHEET USE 0'-0" FOR FIRST FLOOR ELEVATION

GRAPHIC SCALE 0' 32' 64'

DESIGN AGENCY
PRIME AE
540 White Pond Drive, Ste. E
Akron, Ohio 44320
(330) 864-7755

NO.	REVISIONS	BY	DATE
1	ADDENDUM 2		7/15/2020

DESIGNED MWM | DRAWN MAK | CHECKED MWM | IN CHARGE CAR

LUCAS COUNTY

OVERALL BUILDING ELEVATIONS

TOLL PLAZA 49

PROJECT 58-20-01
DATE: 6/15/2020

A201

76 / 221

OHIO TURNPIKE AND INFRASTRUCTURE COMMISSION

7/17/2020 1:29:35 PM

TOLL PLAZA 49

EXTERIOR MATERIAL LEGEND

MP-1	CLEAR ANODIZED METAL PANEL
MP-2	BRONZE ANODIZED METAL PANEL
MP-3	CUSTOM GREEN METAL PANEL
GL-1	ALUMINUM WINDOW W/ LOW E , TINTED INSULATED GLASS
CMU-1	BURNISHED CMU VENEER - COLOR: RENALDO by GRAND BLANC CEMENT PRODUCTS, INC. (2)
CONC	CAST CONCRETE
X	DENOTES WINDOW TYPE - SEE A604
CJ	DENOTES MASONRY CONTROL JOINT

4 SOUTH ELEVATION MAIN UTILITY BUILDING

A202 SCALE: 1/16" = 1'-0"

2 EAST ELEVATION MAIN UTILITY BUILDING

A202 SCALE: 1/16" = 1'-0"

3 NORTH ELEVATION MAIN UTILITY BUILDING

A202 SCALE: 1/16" = 1'-0"

1 WEST ELEVATION MAIN UTILITY BUILDING

A202 SCALE: 1/16" = 1'-0"

COORDINATE ALL FINISH FLOOR ELEVATIONS WITH CIVIL DRAWINGS
ELEVATIONS NOTED ON THIS SHEET USE 0'-0" FOR FIRST FLOOR ELEVATION

GRAPHIC SCALE
0' 16' 32'

DESIGN AGENCY
PRIME AE
540 White Pond Drive, Ste. E
Akron, Ohio 44320
(330) 864-7755

NO.	REVISIONS	BY	DATE
1	ADDENDUM 1		7/7/2020
2	ADDENDUM 2		7/15/2020

DESIGNED MWM
DRAWN MAK
CHECKED MWM
IN CHARGE CAR

OHIO TURNPIKE

OHIO TURNPIKE AND INFRASTRUCTURE COMMISSION

LUCAS COUNTY
TOLL PLAZA 49
ELEVATION MAIN BUILDING

PROJECT 58-20-01
DATE: 6/15/2020

A202

7/17/2020 1:29:38 PM
TOLL PLAZA 49

EXTERIOR MATERIAL LEGEND

MP-1	CLEAR ANODIZED METAL PANEL	
MP-2	BRONZE ANODIZED METAL PANEL	
MP-3	CUSTOM GREEN METAL PANEL	
GL-1	ALUMINUM WINDOW W/ LOW E , TINTED INSULATED GLASS	
CMU-1	BURNISHED CMU VENEER - COLOR: RENALDO by GRAND BLANC CEMENT PRODUCTS, INC.	2
CONC	CAST CONCRETE	

X DENOTES WINDOW TYPE - SEE A604

CJ DENOTES MASONRY CONTROL JOINT

4 NORTH ELEVATION SECONDARY UTILITY BUILDING

A203 SCALE: 1/16" = 1'-0"

2 EAST ELEVATION SECONDARY UTILITY BUILDING

A203 SCALE: 1/16" = 1'-0"

3 SOUTH ELEVATION SECONDARY UTILITY BUILDING

A203 SCALE: 1/16" = 1'-0"

1 WEST ELEVATION SECONDARY UTILITY BUILDING

A203 SCALE: 1/16" = 1'-0"

COORDINATE ALL FINISH FLOOR ELEVATIONS WITH CIVIL DRAWINGS
ELEVATIONS NOTED ON THIS SHEET USE 0'-0" FOR FIRST FLOOR ELEVATION

GRAPHIC SCALE 0' 16' 32'

DESIGN AGENCY
PRIME AE
540 White Pond Drive, Ste. E
Akron, Ohio 44320
(330) 864-7755

NO.	REVISIONS	BY	DATE
1	ADDENDUM 1		7/7/2020
2	ADDENDUM 2		7/15/2020

DESIGNED MWM | CHECKED MWM | DRAWN MAK | IN CHARGE CAR

ELEVATION SECONDARY BUILDING
TOLL PLAZA 49
LUCAS COUNTY

PROJECT 58-20-01
DATE: 6/15/2020

A203

78
221

OHIO TURNPIKE AND INFRASTRUCTURE COMMISSION

7/17/2020 1:29:39 PM
TOLL PLAZA 49

EXTERIOR MATERIAL LEGEND

MP-1	CLEAR ANODIZED METAL PANEL	GL-1	ALUMINUM WINDOW W/ LOW E , TINTED INSULATED GLASS	X	DENOTES WINDOW TYPE - SEE A604
MP-2	BRONZE ANODIZED METAL PANEL	CMU-1	BURNISHED CMU VENEER - COLOR: RENALDO by GRAND BLANC CEMENT PRODUCTS, INC. 1	CJ	DENOTES MASONRY CONTROL JOINT
MP-3	CUSTOM GREEN METAL PANEL	CONC	CAST CONCRETE		

2 PARTIAL BRIDGE ELEVATION

A204 SCALE: 1/8" = 1'-0"

1 PEDESTRIAN BRIDGE PARTIAL ELEVATION

A204 SCALE: 1/8" = 1'-0"

COORDINATE ALL FINISH FLOOR ELEVATIONS WITH CIVIL DRAWINGS
ELEVATIONS NOTED ON THIS SHEET USE 0'-0" FOR FIRST FLOOR ELEVATION

GRAPHIC SCALE
0 4' 8' 16'

DESIGN AGENCY
PRIME AE
540 White Pond Drive, Ste. E
Akron, Ohio 44320
(330) 864-7755

NO.	REVISIONS	BY	DATE
1	ADDENDUM 2		7/15/2020

DESIGNED MWM
CHECKED MWM
DRAWN MAK
IN CHARGE CAR

PEDESTRIAN BRIDGE
ELEVATIONS & DETAILS
TOLL PLAZA 49
LUCAS COUNTY

PROJECT 58-20-01
DATE: 6/15/2020

A204

79
221

OHIO TURNPIKE AND INFRASTRUCTURE COMMISSION

7/17/2020 1:29:40 PM
TOLL PLAZA 49

2 CASEWORK ELEVATION

A506 SCALE: 1/2" = 1'-0"

GRAPHIC SCALE 0 1' 2' 4'

1 BASE AND WALL CABINET

A506 SCALE: 1" = 1'-0"

GRAPHIC SCALE 0 1/2' 1' 2'

4 BASE CABINET - DRAWERS

A506 SCALE: 1" = 1'-0"

3 CASEWORK SINK DETAIL

A506 SCALE: 1" = 1'-0"

DESIGN AGENCY
PRIME AE
540 White Pond Drive, Ste. E
Akron, Ohio 44320
(330)-864-7755

NO.	REVISIONS	BY	DATE
1	ADDENDUM 2	XX	7/20/2020

DESIGNED MWM
DRAWN MAK
CHECKED MWM
IN CHARGE CAR

CASEWORK ELEVATIONS & DETAILS

TOLL PLAZA 49 LUCAS COUNTY

PROJECT 58-20-01
DATE: 6/15/2020

A506

103 / 221

OHIO TURNPIKE AND INFRASTRUCTURE COMMISSION

7/20/2020 9:34:30 AM

TOLL PLAZA 49

DOOR AND FRAME SCHEDULE

DOOR NUMBER	ROOM NAME	DOOR TYPE	DOOR SIZE PANEL WIDTH	DOOR SIZE HEIGHT	DOOR SIZE THICKNESS	DOOR MATERIAL	DOOR GLAZING	FRAME TYPE	FRAME MATERIAL	DETAIL/ SHEET (A602/A603) HEAD	JAMB	THRESHOLD	RATINGS FIRE	HARDWARE SET	COMMENTS
1-1	WOMEN	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	2/A603		A	
1-2	MEN	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	2/A603		A	
1-3A	LOCKERS	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	-		A	
1-3B	LOCKERS	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	-		B	
1-3C	LOCKERS	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	-		B	
1-4	SAFE	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	-		B	
1-5	WORK ROOM	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	-		B	
1-6	COMMUNICATION ROOM	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	-		B	
1-7A	OFFICE	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	-		C	
1-7B	OFFICE	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	-		B	
1-8	ELECTRICAL	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	3/A603	1.5 HR	B	SPECIAL KEY
1-9	BREAK	D	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	-		A	
1-9A	WATER SERVICE	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	-		B	
1-10	OFFICE	D	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	-		C	
1-11A	GENERATOR	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	-	1.5 HR	D	INSULATED
1-11B	GENERATOR	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	6/A602	5/A602	1/A603		E	
1-12	JAN.	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	3/A603		B	
1-13A	STAIR	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	6/A602	5/A602	1/A603		F	
1-13B	STAIR	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	-	1 HR	G	
1-13C	STAIR	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	-	1 HR	G	
1-14A	CORRIDOR	B	3' - 0"	7' - 0"	1 3/4"	ALUM	YES	F2	ALUM	4/A602	3/A602	1/A603		H	
1-14B	CORRIDOR	C	3' - 0"	7' - 0"	1 3/4"	ALUM	YES	F2	ALUM	4/A602	3/A602	1/A603		H	
1-14C	CORRIDOR	B	3' - 0"	7' - 0"	1 3/4"	ALUM	YES	F2	ALUM	4/A602	3/A602	1/A603		H	
1-18	STORAGE	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	3/A603		B	
1-20	STORAGE	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	-		B	UNDERCUT DOOR - REFER TO SHEET M-104
1-21	STORAGE	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	-		B	UNDERCUT DOOR - REFER TO SHEET M-104
1-25	PEDESTRIAN BRIDGE	D	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	3/A603		I	INSULATED
2-1	STORAGE	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	3/A603		B	
2-3A	STAIR	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	6/A602	5/A602	1/A603		J	
2-3B	STAIR	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	-	1 HR	G	
2-4	CORRIDOR	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	6/A602	5/A602	1/A603		J	
2-7	STORAGE	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	-		D	UNDERCUT DOOR - REFER TO SHEET M-104
2-8	COMM	A	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	-		B	SPECIAL KEY
2-10	PEDESTRIAN BRIDGE	D	3' - 0"	7' - 0"	1 3/4"	HM		F1	HM	2/A602	1/A602	3/A603		I	INSULATED

1

2

2

DOOR TYPE

ALUM ALUMINUM w/ FULL GLASS
HM HOLLOW METAL w/ INSULATED CORES

FRAME MATERIAL

ALUM ALUMINUM
HM HOLLOW METAL

NOTE:
EXTERIOR HOLLOW METAL DOORS & FRAMES TO BE GALVANIZED.
REFER TO SHEET M-104 FOR UNDERCUT DOOR LOCATIONS/REQUIREMENTS.
EXTERIOR HOLLOW METAL DOORS & FRAMES TO BE INSULATED.

T = TEMPERED SAFETY GLAZING

FRAME TYPES

SCALE: 1/4" = 1'-0"

DOOR TYPES

SCALE: 1/4" = 1'-0"

DESIGN AGENCY
PRIME AE
540 White Pond Drive, Ste. E
Akron, Ohio 44320
(330) 864-7755

NO.	REVISIONS	BY	DATE
1	ADDENDUM 1		7/7/2020
2	ADDENDUM 2		7/15/2020

DESIGNED MWM
DRAWN MAK
CHECKED MWM
IN CHARGE CAR

LUCAS COUNTY

DOOR SCHEDULE

TOLL PLAZA 49

PROJECT 58-20-01
DATE: 6/15/2020

A601

104
221

OHIO TURNPIKE AND INFRASTRUCTURE COMMISSION

OHIO TURNPIKE

TOLL PLAZA 49 7/17/2020 1:29:41 PM

ROOM FINISH SCHEDULE

ROOM NUMBER	ROOM NAME	FLOOR FINISH	BASE FINISH	WALLS				MILLWORK		CEILING	COMMENTS	ROOM SIGN CONTENT
				NORTH	SOUTH	EAST	WEST	HORIZONTAL	VERTICAL	FINISH		
1-1	WOMEN	FT-1	-	WT-1	TB-1, PT-1	TB-1, PT-1	WT-1	SS-1	SS-1	GYP. BD. CP-1		WOMEN *
1-2	MEN	FT-1	-	WT-1	TB-1, PT-1	WT-1	TB-1, PT-1	SS-1	SS-1	GYP. BD. CP-1		MEN *
1-3	LOCKERS	VCT-1	RB-1	PT-1	PT-1	PT-1	PT-1	-	-	ACT-1		LOCKERS
1-4	SAFE	VCT-1	RB-1	PT-1	PT-1	PT-1	PT-1	-	-	ACT-1		SAFE ROOM
1-5	WORK ROOM	VCT-1	RB-1	PT-1	PT-1	PT-1	PT-1	-	-	ACT-1	PROVIDE TACK BOARDS AS SHOWN ON PLANS.	WORK ROOM
1-6	COMMUNICATION ROOM	VCT-1	RB-1	PT-1	PT-1	PT-1	PT-1	-	-	ACT-1		COMMUNICATION ROOM
1-7	OFFICE	VCT-1	RB-1	PT-1	PT-1	PT-1	PT-1	-	-	ACT-1	PROVIDE TACK BOARDS AS SHOWN ON PLANS.	OFFICE
1-8	ELECTRICAL	SC-1	RB-1	PT-1	PT-1	PT-1	PT-1	-	-	-		ELECTRICAL ROOM
1-9	BREAK	VCT-1	RB-1	PT-1	PT-1	PT-1	PT-1	SS-1	PLAM-1	ACT-1	PROVIDE TACK BOARDS AS SHOWN ON PLANS. PROVIDE ROLLER SHADES FOR ALL WINDOWS IN THIS ROOM.	BREAK ROOM
1-9A	WATER SERVICE	SC-1	RB-1	PT-1	PT-1	PT-1	PT-1	-	-	-		WATER SERVICE
1-10	OFFICE	VCT-1	RB-1	PT-1	PT-1	PT-1	PT-1	-	-	ACT-1	PROVIDE TACK BOARDS AS SHOWN ON PLANS. PROVIDE ROLLER SHADES FOR ALL WINDOWS IN THIS ROOM.	OFFICE
1-11	GENERATOR	VCT-1	RB-1	PT-1	PT-1	PT-1	PT-1	-	-	-		GENERATOR
1-12	JAN.	SC-1	RB-1	PT-1	PT-1	PT-1	PT-1	-	-	-		JANITOR
1-13	STAIR	RSTR-1	RSTR-1	PT-1	PT-1	PT-1	PT-1	-	-	ACT-1		STAIR 1*
1-14	CORRIDOR	VCT-1	RB-1	PT-1	PT-1	PT-1	PT-1	-	-	ACT-1	PROVIDE TACK BOARDS AS SHOWN ON PLANS.	-
1-18	STORAGE	SC-1	RB-1	PT-1	PT-1	PT-1	PT-1	-	-	-		STORAGE
1-19	ELEV	FT-1	-	-	-	-	-	-	-	-	FOR CAB FINISHES REFER TO SPECIFICATION SECTION #14 24 00 HYDRAULIC ELEVATORS	ELEVATOR *
1-20	STORAGE	VCT-1	RB-1	PT-1	PT-1	PT-1	PT-1	-	-	-		STORAGE
1-21	STORAGE	VCT-1	RB-1	PT-1	PT-1	PT-1	PT-1	-	-	-		STORAGE
1-23	CORRIDOR	VCT-1	RB-1	PT-1	PT-1	PT-1	PT-1	-	-	ACT-1		-
2-1	STORAGE	SC-1	RB-1	PT-1	PT-1	PT-1	PT-1	-	-	-		STORAGE
2-2	ELEV	FT-1	-	-	-	-	-	-	-	-	FOR CAB FINISHES REFER TO SPECIFICATION SECTION #14 24 00 HYDRAULIC ELEVATORS	ELEVATOR *
2-3	STAIR	RSTR-1	RSTR-1	PT-1	PT-1	PT-1	PT-1	-	-	ACT-1		STAIR 2*
2-4	CORRIDOR	VCT-1	RB-1	PT-1	PT-1	PT-1	PT-1	-	-	ACT-1		-
2-5	JAN.	VCT-1	RB-1	PT-1	PT-1	PT-1	PT-1	-	-	-		JANITOR
2-7	STORAGE	VCT-1	RB-1	PT-1	PT-1	PT-1	PT-1	-	-	-		STORAGE
2-8	COMM	VCT-1	RB-1	PT-1	PT-1	PT-1	PT-1	-	-	-		COMMUNICATION ROOM
2-9	CORRIDOR	VCT-1	RB-1	PT-1	PT-1	PT-1	PT-1	-	-	ACT-1		-
2-10	PEDESTRIAN BRIDGE	SC-1	RB-1	FLUSH METAL PANELS	FLUSH METAL PANELS	FLUSH METAL PANELS	FLUSH METAL PANELS			ACT-1		PEDESTRIAN BRIDGE

1

1

1

* TOILET ROOMS, STAIRWELLS AND ELEVATOR SIGNAGE MUST BE ADA COMPLIANT WITH UNIVERSAL SYMBOLS AND BRAILLE

FINISH LEGEND

FLOORING

FT-1 PORCELAIN TILE
MANUFACTURER: FIANDRE
COLLECTION: SHELLSTONE
COLOR: SHELLGREEN
FINISH: HONED
SIZE: 12" X 24"
THICKNESS: 8mm
CONTACT: VERNON MAINS
CONTACT PH.: 216.924.2485

GROUT
MANUFACTURER: MAPEI
COLOR: 107 IRON
RECOMMENDED GROUT JOINT: 1/8"

SC-1 SEALED CONCRETE
REFER TO SPECIFICATIONS
SECTION 03 35 47.

FLOORING CON'T.

VCT-1 VINYL COMPOSITION TILE
MANUFACTURER: TARKETT
COLOR: 1318 WHITE/BLACK
SIZE: 12" X 12" X 1/8"
CONTACT: THERESA DEVRIES
CONTACT PH.: 216.213.9885

RSTR-1 RUBBER STAIR TREADS & RISERS
PRODUCT: MICROTONE SPECKLED RUBBER STAIR TREADS WITH INTEGRATED RISERS AND CONTRASTING SOLID RUBBER INSERT COLOR 40 BLACK.
COLOR: HNSP-LD7
LUNAR EXPLORER WG
SURFACE TEXTURE: HAMMERED
NOTE: RUBBER STRINGERS TO BE COLOR 29 MOONROCK.
CONTACT: THERESA DEVRIES
CONTACT PH.: 216.213.9885

RUBBER TILE AT LANDINGS
PRODUCT: MICROTONE SPECKLED RUBBER TILE
COLOR: HSNP-LD7
LUNAR EXPLORER WG
SIZE: 24" X 24" X 1/8"
SURFACE TEXTURE: HAMMERED
CONTACT: THERESA DEVRIES
CONTACT PH.: 216.213.9885

RUBBER BASE AT LANDINGS
MANUFACTURER: JOHNSONITE
COLOR: 29 MOONROCK
SIZE: 4" H. W/TOE
CONTACT: THERESA DEVRIES
CONTACT PH.: 216.213.9885

BASE

RB-1 RUBBER BASE
MANUFACTURER: JOHNSONITE
COLOR: 24 GREY HAZE
SIZE: 4" H. W/TOE
CONTACT: THERESA DEVRIES
CONTACT PH.: 216.213.9885

TB-1 TILE BASE
MANUFACTURER: FIANDRE
COLLECTION: SHELLSTONE
COLOR: SHELLGREEN
FINISH: HONED
SIZE: 6" X 12" COVE BASE
CONTACT: VERNON MAINS
CONTACT PH.: 216.924.2485

GROUT
MANUFACTURER: MAPEI
COLOR: 107 IRON

WALLS

WT-1 WALL TILE
MANUFACTURER: FIANDRE
COLLECTION: SHELLSTONE
COLOR: SHELLGREEN
FINISH: HONED
SIZE: 12" X 24"
THICKNESS: 8mm
CONTACT: VERNON MAINS
CONTACT PH.: 216.924.2485

GROUT
MANUFACTURER: MAPEI
COLOR: 107 IRON
RECOMMENDED GROUT JOINT: 1/8"

PT-1 PAINT
MANUFACTURER: SHERWIN WILLIAMS
COLOR: PURE WHITE SW 7005
SHEEN: SATIN/EG-SHEL

MILLWORK

SS-1 SOLID SURFACE
MANUFACTURER: CORIAN
COLOR: RAIN CLOUD
CONTACT: KAREN CALHILL
CONTACT PH.: 216.372.4009

PLAM-1 PLASTIC LAMINATE
MANUFACTURER: WILSONART
PATTERN: LOFT OAK 7968K-12
FINISH: SOFTGRAIN, AEON
SCRATCH RESISTANCE
CONTACT: DAVID HERZBERG
CONTACT PH.: 216.387.2274

CEILING

ACT-1 ACOUSTICAL CEILING TILE
MANUFACTURER: ARMSTRONG CEILINGS
PRODUCT: DUNE, SQUARE LAY-IN FINE FISSURED, ITEM #1772
SIZE: 24" x 24' x 5/8"
EDGE: SQUARE LAY-IN
COLOR: WHITE (WH)
GRID: 15/16" EXPOSED TEE SYSTEM PRELUDE XL
COLOR: WHITE (WH)
CONTACT: ROBERT HAGER
CONTACT PH.: 216.513.7210

CP-1 CEILING PAINT - GYPSUM BOARD
MANUFACTURER: SHERWIN WILLIAMS
COLOR: PURE WHITE SW 7005
SHEEN: FLAT

DESIGN AGENCY
PRIME AE
540 White Pond Drive, Ste. E
Akron, Ohio 44320
(330)-864-7755

NO.	REVISIONS	BY	DATE
1	ADDENDUM 2		7/15/2020

DESIGNED MWM | CHECKED MWM | DRAWN MAK | IN CHARGE CAR

LUCAS COUNTY

FINISH SCHEDULE

TOLL PLAZA 49

PROJECT 58-20-01
DATE: 6/15/2020

A605

OHIO TURNPIKE AND INFRASTRUCTURE COMMISSION

TOLL PLAZA 49 7/17/2020 1:29:42 PM